

# INDEX TO VOLUME 104

COMPILED BY K. ELIZABETH K. PACALA

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the A.O.U. check-list, only scientific names have been entered, and, in some instances, entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

- Able, Kenneth P., and Scott P. Terrill, A new technique for releasing migrants from orientation cages, 135-139
- Accipiter bicolor*, 500
- A. cooperii*, 60
- A. nisus*, 117, 118, 120
- Aegintha temporalis*, 382-389, 392
- Age, determination of, 86, 87, 482
- Agelaius phoeniceus*, 56-61, 311-314, 405-411, 413-418, 628-633, 777-778
- Ahlquist, Jon E., Anthony H. Bledsoe, Frederick H. Sheldon, and Charles G. Sibley, Commentary: DNA hybridization and avian systematics, 556-563
- Aidemosyne modesta*, 382-389, 392
- Aix sponsa*, 435-442
- Ajaja ajaja*, 740-748
- Alaska, 450-460, 542-543, 707-716, 779-783
- Alberta, 73-75, 421-426, 681-686, 687, 767-769
- Alcock, John, review by, 808-809
- Ali, Sálím, The fall of a sparrow (rev.), 364-365
- Alisauskas, Ray T., Morphometric correlates of age and breeding status in American Coots, 640-646; C. Davison Ankney, and David G. Krentz, Commentary: Body condition in Eastern Kingbirds, 546-547
- Amadina erythrocephala*, 382-389, 392
- A. fasciata*, 382-389, 392
- Amandava amandava*, 382-389, 392
- A. subflava*, 382-389, 392
- American Ornithologists' Union, Awards, 367-368; Proceedings of the One-Hundred-Fourth Stated Meeting, 1AA-23AA; Thirty-sixth supplement to the Check-list of North American Birds, 591-596
- Anas platyrhynchos*, 126-127, 597-601
- Anatomy and morphology of *Aythya affinis*, 694-698; *Catherpes mexicanus*, 529, 530; *Chlorostilbon bracei*, 296, 297, 298; *Corvidae*, 665-679; *Epimachus alberti*, 48, 54; *Eudocimus albus*, 771-774; *Falco sparverius*, 321-323; *Fulica americana*, 640-645, 779-783; *Hylorchilus sumichrasti*, 529, 530; *Microcerculus philomela*, 530; *Oceanodroma furcata*, 779-783; *Passer domesticus*, 681-686; *Picidae*, 757-764; *Picoides albolavatus*, 230; *P. villosus*, 230; *Poephila guttata*, 155-165; *Salpinctes obsoletus*, 530; *Spheniscus magellanicus*, 779-783
- Anderson, David J., see Curry, Robert L., and —
- Andigena cucullata*, 325, 326
- Angle, J. Phillip, see Olson, Storrs L., et al.
- Ankney, C. Davison, see Alisauskas, Ray T., et al.
- Anous stolidus*, 790
- Anser caerulescens*, 119
- A. indicus*, 688-692
- Antarctica, 617-625
- Aphelocoma coerulescens*, 665-679, 680
- Applegate, Roger D., In memoriam: Samuel Charles Kendeigh, 508-509
- Aptenodytes patagonica*, 254-261
- Apteryx australis*, 126-127
- Aquadro, Charles F., see Avise, John C., and —
- Araya M., Braulio, and Guillermo Millie H., Guía de campo de las aves de Chile (rev.), 573-574
- Ardea cocoi*, 97-107
- A. herodias*, 38-45, 47, 97-107, 740-748
- A. melanocephala*, 97-107
- A. pacifica*, 97-107
- A. sumatrana*, 97-107
- Ardeidae, 97-107
- Ardeola grayii*, 97-107
- Argentina, 779-783
- Arizona, 783-786
- Armani, Gilbert C., Guide des passereaux granivores (rev.), 152-153
- Armstrong, Douglas P., Economics of breeding territoriality in male Calliope Hummingbirds, 242-253
- Asio flammeus*, 520
- Astheimer, Lee B., see Buttemer, William A., et al.
- Astrapia stephaniae*, 52
- Astrapia stephaniae*, 52
- Auriparus flaviceps*, 531-534
- Austin, Jane E., and Leigh H. Fredrickson, Body and organ mass and body composition of postbreeding female Lesser Scaup, 694-699
- Australia, 380-389
- Avise, John C., and Charles F. Aquadro, Malate dehydrogenase isozymes provide a phylogenetic marker for the Piciformes (woodpeckers and allies), 324-328
- Aythya affinis*, 694-698
- Bahamas, 296-301
- Baker, Leslie A., see Hepp, Gary R., et al.
- Bakken, George S., see Santee, William R., and —

- Bakst, Murray R., and David M. Bird, Localization of oviductal sperm-storage tubules in the American Kestrel (*Falco sparverius*), 321-324
- Barlow, Jon C., review by, 800-801
- Barn-Owl, Common, 520
- Barry, T. W., see Gollop, J. B., et al.
- Bartramia longicauda*, 777-778
- Bech, Claus, see Klaassen, Marcel, et al.
- Becker, Jonathan J., Revision of "*Falco*" *ramenta* Wetmore and the Neogene evolution of the Falconidae, 270-276
- Bednarz, James C., Successive nesting and autumnal breeding in Harris' Hawks, 85-96; Pair and group reproductive success, polyandry, and cooperative breeding in Harris' Hawks, 393-404
- Beehler, Bruce M., Ecology and behavior of the Buff-tailed Sicklebill (Paradisaeidae: *Epimachus albertisi*), 48-55
- Behavior, activity patterns, 209, 210, 218-222, 225, 229-230, 231, 243, 244, 249, 250, 255-256, 280, 620-621, 708-709, 740-748; age-related, 191-193, 196, 263-268, 292-293, 294, 483-485, 488, 648-649, 650, 652; agonistic, 79-80, 81, 82, 188-196, 244, 245, 249, 251-252, 290-295, 335, 342-343, 397-398, 413-418, 431, 433, 456, 459, 462, 464, 471, 472, 621, 625, 645, 649-650, 717-722; antipredator, 343, 429-433, 496-505, 713-714; breeding, 52-55, 85-94, 209, 210, 234-241, 277, 280, 284-287, 322-323, 344-346, 393-402, 405-411, 450-460, 491-494, 521-522, 597-601, 649; cannibalistic, 620; copulatory, 81-82, 323, 450-460, 465, 488, 597-601, 630, 720; courtship, 52-53, 54, 251, 456, 628-633; dominance, 1-10, 77-83, 113, 114, 133, 135, 188-196, 290-295, 333-335, 429-433, 501, 513, 650, 651, 652, 717-722; effect of environment on, 11-15, 80, 82-83, 90-91, 93, 94, 180, 186, 237-238, 240, 303-309, 413-418, 487, 622, 623, 624, 628-633; effect of predation on, 196; extrapair, 450-460, 597-601; feeding, 49, 50, 54, 134, 173-177, 180-186, 190, 192-193, 194, 218-222, 225-232, 233, 242, 244-248, 250, 255-257, 259-260, 263-268, 277-287, 290-295, 429-433, 517-520, 617-625, 649, 650-652, 712, 713, 771-774; feeding aggregation, 290-295, 429-433; flight, 218-222, 370, 609, 611; foraging (see Behavior, feeding); forced copulation, 82, 597-601; homing, 369-378; incubation, 218, 219, 221, 277, 281, 285, 707-715; individual distance, 50; interspecific, 180, 184, 231, 249, 290-295, 513-514, 625, 775-778; learning, 266-267, 268, 339, 514-515, 519; maintenance, 221, 709, 710; mate guarding, 450-460, 464, 465, 467, 470, 472; mating preference, 60, 82, 83, 234, 237-238, 240, 243, 409, 410, 411, 459-460, 494, 505, 549-550, 550-551, 628-633, 643-644; migratory, 303-309; movements in home range, 50-51, 79-80, 82, 483-486; nest defense, 791-793; nest helper (see Communal breeding); nest-site tenacity, 521-522; nesting, 38-45, 85-94, 281, 452, 453, 457-458, 630-633; ontogeny of, 267, 512-515, 650; pair, 202-204, 393-402, 450-460, 521-522; parental care, 54, 73, 75, 94, 157-158, 164, 218, 219, 220, 221-222, 254-257, 259-260, 268, 277, 281, 283-287, 393, 396, 400, 401, 462-464, 467-468, 470, 472, 476, 478, 624, 635-639, 688-692, 750-755; play, 338-340; roosting, 342-343, 531-534, 647-652; sexual differences in, 49, 50, 191-193, 225, 227-230, 231, 429-433, 717-722, 771-774; site fidelity, 54, 59, 79, 251, 304, 308-309, 405, 408-409, 410-411, 483, 484, 486-488, 493, 648; social, 188-196, 202-204, 205, 339-340, 393-402, 429-433, 450-460, 496-505, 519; status-signaling, 188-196, 717-722; territorial, 50, 52, 54, 59, 60, 77-83, 113, 114, 133-135, 202-204, 242-252, 277-280, 285, 286, 313-314, 330, 344-346, 397-398, 405-411, 413-418, 483-488, 535-537, 620, 645; vocal, 50, 52, 63, 66-70, 134, 198-205, 329-330, 498-500, 505, 512-515, 528-529, 775-778, 790
- Behavior of *Agelaius phoeniceus*, 59, 60, 311-314, 405-411, 413-418, 628-633; *Anas platyrhynchos*, 597-601; *Anser indicus*, 688-692; *Aptenodytes patagonica*, 254-257, 259-260; *Ardea herodias*, 38-45; *Branta canadensis*, 73, 75; *Bucephala islandica*, 521-522; *Catharacta lonnbergi*, 617-625; *C. macrormicki*, 617-625; *Cathartes aura*, 290-295; *Centrocerus urophasianus*, 77-83; *Chen canagica*, 707-715; *Circus cyaneus*, 11-15; *Cistothorus palustris*, 491-494; *Columba livia*, 369-371, 374-378; *Coragyps atratus*, 290-295, 647-652; *Corvus caurinus*, 263-268; *Dendroica kirtlandii*, 234-241; *Empidonax traillii*, 329-330; *Epimachus albertisi*, 48-55; *Eudocimus albus*, 771-774; *Euphonia gouldi*, 173-177; *Falco sparverius*, 322-323; *Fulica americana*, 643-645; *Fulmarus glacialis*, 450-460; *Junco hyemalis*, 1-6, 303-309; *Larus occidentalis*, 33-36; *Manacus candei*, 173-177; *Microdynamis parva*, 50; *Mimus polyglottos*, 198-205; *Molothrus ater*, 512-515; *Nesomimus macdonaldi*, 517-520; *N. melanotis*, 517-520; *N. parvulus*, 517-520; *N. trifasciatus*, 517-520; *Oceanodroma leucophrys*, 750-755; *Parabuteo unicinctus*, 85-94, 393-402; *Parus caeruleus*, 109-114; *Passer domesticus*, 462-468; *Passerculus sandwichensis*, 277-287; *Picoides albolarvatus*, 225-232, 233; *P. villosus*, 225-232, 233; *Pipra mentalis*, 173-177; *Polyborus plancus*, 290-295; *Progne chalybea*, 342-343; *Quiscalus mexicanus*, 635-639; *Ramphocelus passerinii*, 173-177; *Rupicola rupicola*, 496-505; *Sarcoramphus papa*, 290-295; *Seiurus motacilla*, 180-186; *S. noveboracensis*, 180-186; *Sitta carolinensis*, 429-433; *Stellula calliope*, 242-252; *Sturnella magna*, 775-778; *Tachycineta bicolor*, 717-722; *Tachyphonus delatrii*, 173-177; *Tetrao urogallus*, 481-488; *Thraupis palmarum*, 173-177; *Uria aalge*, 218-222; *Vultur gryphus*, 290-295; *Wilsonia citrina*, 133-135; *Zonotrichia leucophrys*, 1-6, 188-196; *Z. querula*, 1-6
- Bekoff, Marc, see Ortega, Joseph C., and —
- Bent, Arthur Cleveland, Life histories of North American diving birds (rev.), 589; Life histories of North American gulls and terns (rev.), 589
- Bergerud, A. T., and H. E. Butler, Commentary: Re-

- sponse to S. J. Hannon and F. C. Zwickel, 345-347
- Bildstein, Keith L., Energetic consequences of sexual size dimorphism in White Ibises (*Eudocimus albus*), 771-775; see Collopy, Michael W., and —
- Bingman, Verner, Earth's magnetism and the nocturnal orientation of migratory European Robins, 523-525
- Bird, David M., see Bakst, Murray R., and —
- Bird of Paradise, Raggiana, 52
- Birkhead, Tim R., Prolonged sperm storage duration in domesticated canaries, 770-771; see Nettle-ship, David, and —
- Birks, H. J. B., see Huntley, B., and —
- Bittern, American, 97-107; Cinnamon, 97-107; Least, 97-107; Little, 97-107; Palearctic, 97-107
- Blackbird, Red-winged, 56-61, 311-314, 405-411, 413-418, 628-633, 777-778
- Black-Hawk, Great, 500
- Blacklock, Gene W., see Rappole, J. H., and —
- Blake Plateau (Atlantic Ocean), 129-132
- Bledsoe, Anthony H., Molecular distance data: the issue of variable rates, 563-565; see Ahlquist, Jon E., et al.
- Blokpoel, H., and G. D. Tessier, The Ring-billed Gull in Ontario: a review of a new problem species (rev.), 359-361
- Bluebird, Western, 783-786
- Bium, P. N., see Mikkel'son, H. A., et al.
- Boag, Peter T., Effects of nestling diet on growth and adult size of Zebra Finches (*Poephila guttata*), 155-166; see Lessells, C. M., and —
- Bobolink, 777-778
- Boersma, P. Dee, and Emily M. Davies, Sexing monomorphic birds by vent measurements, 779-783
- Bonasa umbellus, 126-127
- Booby, Masked, 517-519
- Botaurus lentiginosus, 97-107
- B. stellaris, 97-107
- Bowman, Robert J., review by, 357
- Boyd, John Morton, Fraser Darling's islands (rev.), 365
- Boyer, Trevor, see Gooders, John, and —
- Bradbury, J. W., see Gibson, R. M., and —
- Branta canadensis, 73-75
- Braune, Birgit M., Seasonal aspects of the diet of Bonaparte's Gulls (*Larus philadelphia*) in the Quoddy region, New Brunswick, Canada, 167-172
- Brawn, Jeffrey D., Density effects on reproduction of cavity nesters in northern Arizona, 783-787
- Bredin, K. A., see Cairns, D. K., et al.
- Breeding of (see also Behavior, breeding; Breeding season; Breeding success; Clutch size; Eggs; Incubation and incubation period; Nest and nest site), *Agelaius phoeniceus*, 405-411; *Anas platyrhynchos*, 597-601; *Catharacta lonnbergi*, 621-624; *C. macormicki*, 621-624; *Corvus caurinus*, 267; *Dendragapus obscurus*, 344-346; *Epimachus albertsi*, 52-55; *Falco sparverius*, 322-323; *Fulica americana*, 644-645; *Fulmarus glacialis*, 450-460; *Larus californicus*, 424-425; *L. occidentalis*, 33-36; *Parabuteo unicinctus*, 85-94, 393-402; *Parus major*, 700-705; *Passer domesticus*, 470-479; *Passerculus sandwichensis*, 277-287; *Serinus canaria*, 770-771; *Sialia mexicana*, 783-786; *Sitta pygmaea*, 783-786; *Stellula calliope*, 242-243, 244, 251-252; *Tachycineta bicolor*, 717-722; *T. thalassina*, 783-786
- Breeding season of *Agelaius phoeniceus*, 57-58; *Catharacta lonnbergi*, 621-623, 624; *C. macormicki*, 621-623, 624; *Larus argentatus*, 526-527; *Parabuteo unicinctus*, 85-94; *Passerculus sandwichensis*, 279-280; *Rupicola rupicola*, 497; *Sialia mexicana*, 785; *Sitta pygmaea*, 785; *Stellula calliope*, 243; *Tachycineta thalassina*, 785
- Breeding success, 87-92, 94, 110, 157, 234-241, 251, 331, 332, 397, 398, 400, 402, 410, 462, 465-468, 470, 473-476, 491-494, 622-625, 783-786
- Breeding success of *Agelaius phoeniceus*, 410, 630, 631; *Bucephala islandica*, 332; *Catharacta lonnbergi*, 622-625; *C. macormicki*, 622-625; *Cistothorus palustris*, 491-494; *Dendroica kirtlandii*, 234-241; *Parabuteo unicinctus*, 87-92, 94, 397, 398, 400, 402; *Parus caeruleus*, 110; *Passer domesticus*, 462, 465-468, 470, 473-476; *Poephila guttata*, 157; *Sialia mexicana*, 783-786; *Sitta pygmaea*, 783-786; *Stellula calliope*, 251; *Tachycineta thalassina*, 783-786
- Brisbin, I. Lehr, Jr., Charles T. Collins, Gary C. White, and D. Archibald McCallum, Commentary: A new paradigm for the analysis and interpretation of growth data: the shape of things to come, 552-554
- British Columbia, 242-252, 263-268, 330-332, 405-411, 521-522
- Brown, David E., Arizona wetlands and waterfowl (rev.), 149-150
- Brown, Jerram L., review by, 350-352
- Brush, Alan H., Editorial, 369; reviews by, 153, 154, 365-366, 588-590, 806-808, 809-810
- Bubulcus ibis, 97-107
- Bucephala albeola, 521-522
- B. islandica, 330-332
- Bufflehead, 521-522
- Busse, P., Key to ageing and sexing of European passerines (rev.), 580
- Buteo galapagoensis, 519-520
- Buteogallus urubitinga, 500
- Butler, H. E., see Bergerud, A. T., and —
- Butorides striatus, 97-107
- Buttner, William A., Lee B. Astheimer, Wesley W. Weathers, and Anita M. Hayworth, Energy savings attending winter-nest use by Verdins (*Auriparus flaviceps*), 531-535
- Bystrak, Danny, see Robbins, Chandler S., et al.
- Cacicus cela, 499
- Cairns, D. K., K. A. Bredin, and W. A. Montevicchi,

- Activity budgets and foraging ranges of breeding  
Common Murres, 218-224
- California, 33-36, 63-70, 77-83, 188-196, 225-232, 285,  
421-426, 512-515, 531-534, 681-686, 687, 767-769
- Calls (see Vocalizations)
- Campethera abingoni*, 326
- Canary, Common, 770-771
- Capercaillie, Common, 481-488
- Caracara, Crested, 290-295
- Carbonel, Montserrat, see Scott, Derek A., and ———
- Carduelis cannabina*, 770
- C. carduelis*, 386, 389, 392, 770
- C. chloris*, 386, 389, 392
- C. flammea*, 770
- C. spinus*, 770
- Carpenter, James W., see Scott, J. Michael, and ———
- Casmerodius albus*, 97-107, 740-748
- Casuarus casuarus*, 126-127
- Catharacta lonnbergi*, 617-625
- C. macormicki*, 617-625
- Cathartes aura*, 290-295, 373
- Catherpes mexicanus*, 528-530
- Census methods, 336-338
- Centrocercus urophasianus*, 77-83
- Ceryle alcyon*, 326
- Chambers, M. L., Annotated checklist of the birds of  
Hong Kong (rev.), 153
- Chandler, William J., see Eno, Amos S., et al.
- Chardine, John W., Commentary: Brown Noddy vocal  
behavior, 790
- Chelidoptera tenebrosa*, 325, 326
- Chen canagica*, 707-715
- Cheng, Kimberly M., see Eadie, John McA., et al.
- Cherel, Yves, Jean-Claude Stahl, and Yvon Le Maho,  
Ecology and physiology of fasting in King Pen-  
guin chicks, 254-262
- Chloebia gouldiae*, 382-389, 392
- Chlorostilbon bracei*, 296-301
- C. ricardii*, 296-301
- Christidis, L., Biochemical systematics within palaeo-  
tropic finches (Aves: Estrildidae), 380-392
- Ciochia, Victor, Dinamica si migratia pasarilor [Move-  
ments and migrations of birds] (rev.), 364
- Circus cyaneus*, 11-15
- Cistothorus palustris*, 63-70, 491-494
- Clark, George A., Jr., reviews by, 588, 808
- Clark, Ricardo, Aves de Tierra del Fuego y Cabo de  
Hornos (rev.), 573-574
- Clark, Robert G., and Patrick J. Weatherhead, Influe-  
ence of population size on habitat use by terri-  
torial male Red-winged Blackbirds in agricultur-  
al landscapes, 311-315
- Cleptoparasitism (see Kleptoparasitism)
- Clutch size of *Aix sponsa*, 438, 442; *Anser indicus*, 688-  
692; *Chen canagica*, 712, 714-715; *Cistothorus pa-  
lustris*, 492; *Fulmarus glacialis*, 459; *Larus argentatus*,  
526-527; *Parabuteo unicinctus*, 89, 396, 398; *Parus  
major*, 700-705; *Passer domesticus*, 465, 470-479;  
*Passerculus sandwichensis*, 277; *Picidae*, 757-764;  
*Sialia mexicana*, 784-785; *Sitta pygmaea*, 784-785;  
*Tachycineta thalassina*, 784-785
- Cochlearius cochlearius*, 97-107
- Cock-of-the Rock, Guianan, 496-505
- Colaptes auratus*, 325, 326, 654-659, 661-664
- Coleman, Ronald M., Commentary: Does experience  
with predators affect parental investment?, 791-  
792
- Colius striatus*, 326
- Collar, N. J., and S. N. Stuart, Threatened birds of  
Africa and related islands (rev.), 586-587
- Collins, B. L., see Gaston, A. J., et al.
- Collins, Charles T., see Brisbin, I. Lehr, Jr., et al.
- Collopy, Michael W., and Keith L. Bildstein, Foraging  
behavior of Northern Harriers wintering in  
southeastern salt and freshwater marshes, 11-16
- Colorado, 421-426, 654-659, 661-664, 681-686, 687
- Colston, Peter R., and Kai Curry-Lindahl, The birds  
of Mount Nimba, Liberia (rev.), 589
- Columba livia*, 369-378, 733-738
- Commentaries, The water repellancy of water-bird  
feathers, see Rijke, Arie M.; Response to A. M.  
Rijke, see Elowson, A. Margaret; Jackknifing and  
bootstrapping: important "new" statistical tech-  
niques for ornithologists, see Lanyon, Scott M.;  
Spacing behavior and population regulation in  
female Blue Grouse, see Hannon, Susan J., and  
Fred C. Zwickel; Response to S. J. Hannon and  
F. C. Zwickel, see Bergerud, A. T., and H. E. But-  
ler; Ornithology in Central and South America,  
see James, Paul C.; Release of captive-reared or  
translocated birds: what do we need to know?,  
see Scott, J. Michael, and James W. Carpenter;  
Body condition in Eastern Kingbirds, see Ali-  
sauskas, Ray T., et al.; Response to Alisauskas,  
Ankney, and Krementz, see Murphy, Michael T.;  
Female choice in Middendorff's Grasshopper-  
Warbler?, see Lightbody, Jill P.; Response to J. P.  
Lightbody, see Nagata, Hisashi; A new paradigm  
for the analysis and interpretation of growth data:  
the shape of things to come, see Brisbin, I. Lehr,  
Jr., et al.; On paradigms vs. methods in the study  
of growth, see Gochfeld, Michael; A historical  
explanation for polyandry in Wilson's Phalarope,  
see Jehl, Joseph R., Jr.; DNA hybridization and  
avian systematics, see Ahlquist, Jon E., et al.; Es-  
timation of phylogeny from molecular distance  
data: the issue of variable rates, see Bledsoe, An-  
thony H.; Response to A. H. Bledsoe and J. E.  
Ahlquist et al. see Houde, Peter; Brown Noddy  
vocal behavior, see Chardine, John W.; Does expe-  
rience with predators affect parental invest-  
ment?, see Coleman, Ronald M.; Response to R.  
M. Coleman, see Knight, Richard L., and Stanley  
A. Temple
- Communal breeding in *Parabuteo unicinctus*, 393-402
- Condor, Andean, 290-295
- Connecticut, 180-186
- Conner, Richard N., review by, 805-806

- Cook, J. Richard, see Grudzien, Thaddeus A., et al.  
 Cooper, J., see Harper, P. C., et al.  
 Cooperative breeding (see Communal breeding)  
 Coot, American, 640-645, 779-783  
*Coracias caudata*, 326  
*Coragyps atratus*, 290-295, 499, 647-652  
 Corvidae, 665-679, 680  
*Corvus brachyrhynchos*, 673  
*C. caurinus*, 263-268  
 Costa Rica, 173-177  
 Cowbird, Brown-headed, 512-515; Shiny, 514-515  
 Cracraft, Joel, review by, 570-571  
 Craig, Robert J., Divergent prey selection in two species of waterthrushes (*Seiurus*), 180-187  
 Cranmer-Byng, John, In memoriam: Terence M. Shortt, 766  
*Crax rubra*, 126-127  
 Crow, American, 673; Northwestern, 263-268  
 Croxall, J. P., see Harper, P. C., et al.  
 Cunningham, James B., review by, 357-358  
 Curry, Robert L., and David J. Anderson, Interisland variation in blood drinking by Galápagos mockingbirds, 517-521  
 Curry-Lindahl, Kai, see Colston, Peter R., and ———  
 Cuthill, Innes C., see Lohrer, Fred E., et al.  
*Cyanocitta cristata*, 665-679, 680  
*Cyanocorax caeruleus*, 665-679, 680  
*C. cristatellus*, 665-679, 680  
*C. cyanomelas*, 665-679, 680  
*C. dickeyi*, 665-679, 680  
*C. heilprini*, 665-679, 680  
*C. violaceus*, 665-679, 680  
*Cyanolyca cucullata*, 665-679, 680  
*C. viridicyana*, 665-679, 680  
*Cygnus olor*, 126-127  
  
*Daptrius americanus*, 499  
 Davies, Emily M., see Boersma, P. Dee, and ———  
 Davis, M. Benjamin, and Helga Guderley, Energy metabolism in the locomotor muscles of the Common Murre (*Uria aalge*) and the Atlantic Puffin (*Fratercula arctica*), 733-739  
 DeGraaf, Richard M., and Deborah D. Rudis, New England wildlife: habitat, natural history and distribution (rev.), 589  
 Delaney, Dale J., see Hardy, John William, and ———  
*Dendragapus obscurus*, 344-346  
*Dendroica kirtlandii*, 234-241  
*D. petechia*, 777-778  
*Dendropicos fuscescens*, 326  
 Derrickson, Kim C., Yearly and situational changes in the estimate of repertoire size in Northern Mockingbirds (*Mimus polyglottos*), 198-207  
 DeSante, David F., review by, 150-151  
 Diamond, A. W., see Gaston, A. J., et al.  
 Dickinson, Thomas E., review by, 361-362  
 Di Silvestro, Roger L., see Eno, Amos S., et al.  
 Distribution of *Ardea herodias*, 38-45; *Chlorostilbon ricordii*, 296; *Larus californicus*, 421-426; *Saxicola torquata*, 452-453; *Vermivora chrysoptera*, 444; *V. pinus*, 446  
 Distribution, spatial, 38-45, 129-132, 311-314, 483-487, 497  
 DNA evolution, 17-29, 563-565  
 DNA hybridization, 17-29, 97-107, 556-561, 566-567  
 DNA molecular clock, 27-29, 560-561, 567  
*Dolichonyx oryzivorus*, 777-778  
 Dove, Gray-fronted, 499; Rock, 733-738  
*Dryocopus pileatus*, 326  
 Duck, Wood, 435-442  
 Dunne, Pete, Tales of a low-rent birder (rev.), 153  
  
 Eadie, John McA., Kimberly M. Cheng, and Cathleen R. Nichols, Limitations of tetracycline in tracing multiple maternity, 330-333  
 Eagle, Crested, 500; Harpy, 500  
 Echeverri E. A. T., Horacio, Avifauna Parcial Parque Nacional Natural "Las Orquideas" (rev.), 807-808  
 Ecology, community structure, 180-186; competition, 43-44, 180, 185, 186, 225, 231, 290, 407, 410, 411, 625, 762-763; demography, 110, 395-396; dispersal, 59; habitat partitioning, 133-135, 180, 225, 227-229, 230-231, 237-238, 239, 240, 311-314, 407, 410; habitat selection, 38-45, 47, 129-132, 238, 240, 242-252, 311-314, 491-494; population structure, 234, 237-238, 239, 344, 492; predator-prey relationships, 14-15, 90-94, 167-171, 184, 185-186, 225, 230-231, 503, 617-625; seasonal variation, 90-94, 167-171, 225, 227-229, 230-231, 246-248, 254-261, 279-280, 620-621, 740-748; territoriality, 134-135, 180, 184, 242-252, 535-537  
 Ecology of *Agelaius phoeniceus*, 311-314, 628-633; *Ajaia ajaja*, 740-748; *Aptenodytes patagonica*, 254-261; *Ardea herodias*, 38-45, 47, 740-748; *Casmerodius albus*, 740-748; *Catharacta lonnbergi*, 617-625; *C. macormicki*, 617-625; *Circus cyaneus*, 11-15; *Cistothorus palustris*, 491-494; *Dendroica kirtlandii*, 234, 237-239, 240; *Egretta caerulea*, 740-748; *E. rufescens*, 740-748; *E. thula*, 740-748; *E. tricolor*, 740-748; *Epimachus albertisi*, 48-55; *Eudocimus albus*, 740-748; *Fulica americana*, 644-645; *Larus philadelphia*, 167-171; *Oceanites oceanites*, 129-132; *Oceanodroma castro*, 129-132; *O. leucorhoa*, 129-132; *Parabuteo unicinctus*, 90-94; *Parus major*, 702-703; *Passer domesticus*, 681-686; *Phaethon lepturus*, 129-132; *Picidae*, 762-763; *Picoides albolarvatus*, 225, 227-229, 230-231; *P. villosus*, 225, 227-229, 230-231; *Pterodroma hasitata*, 129-132; *Puffinus lherminieri*, 129-132; *Seiurus motacilla*, 180-186; *S. noveboracensis*, 180-186; *Stellula calliope*, 242-252; *Stercorarius pomarinus*, 129-132; *Sterna fuscata*, 129-132; *Wilsonia citrina*, 133-135  
 Eggs, composition, 435-442; laying, 330-332; laying sequence, 526-527; sexual differences in, 73-75  
 Eggs, descriptions and measurements, *Aix sponsa*, 435-442; *Branta canadensis*, 74; *Larus occidentalis*, 34, 35  
 Egret, Cattle, 97-107; Eastern Reef, 97-107; Great, 97-107, 740-748; Intermediate, 97-107; Little, 97-107;



- Reddish, 740-748; Slatey, 97-107; Snowy, 97-107, 740-748
- Egretta caerulea*, 97-107, 740-748
- E. garzetta*, 97-107
- E. intermedia*, 97-107
- E. novaehollandiae*, 97-107
- E. rufescens*, 740-748
- E. sacra*, 97-107
- E. thula*, 97-107, 740-748
- E. tricolor*, 97-107, 740-748
- E. vinaceigula*, 97-107
- Elowson, A. Margaret, Commentary: Response to A. M. Rijke, 142-143
- Emberizidae, 380, 381, 382, 386, 389
- Emblema guttata*, 382-389, 392
- E. picta*, 382-389, 392
- Empidonax alnorum*, 329
- E. traillii*, 329-330, 777-778
- Endangered species, 234-241, 544-545
- Eno, Amos S., Roger L. Di Silvestro, and William J. Chandler, Audubon wildlife report 1986 (rev.), 805-806
- Environment, influence on *Agelaius phoeniceus*, 413-418; *Ardea herodias*, 38-45; *Catharacta lonnbergi*, 622; *C. maccormicki*, 622, 623, 624; *Centrocercus urophasianus*, 80, 82-83; *Chen canagica*, 713; *Circus cyaneus*, 11-15; *Dendroica kirtlandii*, 237-238, 240; *Fulica americana*, 644; *Junco hyemalis*, 303-309; *Larus argentatus*, 124-125; *Parabuteo unicinctus*, 90-91, 93, 94; *Passer domesticus*, 681-686; *Passerculus sandwichensis*, 280-281, 284, 285, 286; *Poephila guttata*, 162-165; *Seiurus boracensis*, 180, 186; *S. motacilla*, 180, 186
- Eobucco, 126-127
- Epimachus albertsi*, 48-55
- Erithacus rubecula*, 523-525
- Erythrura trichroa*, 382-389, 392
- Estrilda astrild*, 382-389, 392
- Estrildidae, 380-389, 392
- Eudocimus albus*, 740-748, 771-774
- Eudromia elegans*, 126-127
- Euphonia gouldi*, 173-177
- Euphonia*, Olive-backed, 173-177
- Evarts, Susan, and Christopher J. Williams, Multiple paternity in a wild population of Mallards, 597-602
- Evolution of behavior, 196; mating systems, 240, 504-505; song repertoires, 69-70; territoriality, 60
- Evolution of Ardeidae, 97, 103-104; *Cochlearius cochlearius*, 104; Falconidae, 273-275; *Larus californicus*, 422, 424-426; Piciformes, 324-328; *Vermivora chrysoptera*, 444, 446, 447; *V. pinus*, 444, 446, 447
- "Falco" *ramenta*, 270-275
- Falco sparverius*, 321-323
- F. tinnunculus*, 603-613, 615-616
- Farner, Donald S., review by, 352-354; see Hiatt, Eve S., et al.
- Feathers (see Molts and plumages)
- Feduccia, Alan (Ed.), Catesby's birds of colonial America (rev.), 363
- Finch, Zebra, 155-165
- Fitzpatrick, John W., see Woolfenden, Glen E., and —
- Fledging, success of (see Breeding success)
- Fleischer, Robert C., see Rothstein, Stephen I., and —
- Flicker, Northern, 325, 326, 654-659, 661-664
- Flint, V. E., see Ilchev, V. D., and —
- Florida, 11-15, 681-686, 687, 740-748
- Flycatcher, Alder, 329; Willow, 329-330, 777-778
- Food and feeding habits of *Ajaia ajaja*, 740-748; *Aptenodytes patagonica*, 255-257, 259-260; *Ardea herodias*, 40, 42-45, 740-748; *Casmerodius albus*, 740-748; *Catharacta lonnbergi*, 617-625; *C. m. maccormicki*, 617-625; *Cathartes aura*, 290-295; *Circus cyaneus*, 11-15; *Coragyps atratus*, 290-295, 647-652; *Corvidae*, 671-673, 677-679; *Corvus caurinus*, 263-268; *Egretta caerulea*, 740-748; *E. rufescens*, 740-748; *E. thula*, 740-748; *E. tricolor*, 740-748; *Epimachus albertsi*, 48-50, 54; *Eudocimus albus*, 740-748, 771-774; *Euphonia gouldi*, 173-177; *Larus philadelphia*, 167-171; *Manacus candei*, 173-177; *Nesomimus macdonaldi*, 517-520; *N. melanotus*, 517-520; *N. parvulus*, 517-520; *N. trifasciatus*, 517-520; *Parabuteo unicinctus*, 86-87, 89-94; *Passerculus sandwichensis*, 277-287; *Picidae*, 760-763; *Picoides albolarvatus*, 225-232, 233; *P. villosus*, 225-232, 233; *Pipra mentalis*, 173-177; *Poephila guttata*, 157-159, 163-164; *Polyborus plancus*, 290-295; *Pterodroma hasitata*, 129-132; *Puffinus lherminieri*, 129-132; *Quiscalus mexicanus*, 635-639; *Ramphocelus passerinii*, 173-177; *Sarcoramphus papa*, 290-295; *Seiurus motacilla*, 180-186; *S. noveboracensis*, 180-186; *Stercorarius pomarinus*, 129-132; *Tachyphonus delatrii*, 173-177; *Thraupis palmarum*, 173-177; *Uria aalge*, 218-222; *Vultur gryphus*, 290-295; *Wilsonia citrina*, 134
- Foraging (see Food and feeding habits; Behavior, feeding)
- Ford, Hugh A., and D. C. Paton (Eds.), The dynamic partnership: birds and plants in southern Australia (rev.), 798-799; see Lohrer, Fred E., et al.
- Forest-Falcon, Barred, 499; Collared, 500-501; Lined, 500; Slaty-backed, 500
- Fossils of *Chlorostilbon bracei*, 296, 299, 300; Falconidae, 274-275; *Hesperornis*, 125-128; *Pediolierax ramenta*, 270-275; Piciformes, 327
- Foudia madagascariensis*, 386, 387, 389, 392
- Fratercula arctica*, 733-738
- Fredrickson, Leigh H., see Austin, Jane E., and —
- Fringillidae, 380, 381, 382, 386, 389
- Fugle, Gary N., and Stephen I. Rothstein, Experiments on the control of deceptive signals of status in White-crowned Sparrows, 188-197
- Fulica americana*, 640-645, 779-783
- Fulmar, Northern, 337, 450-460
- Fulmarus glacialis*, 337, 450-460

- Galápagos, 517-520  
*Galbula ruficauda*, 325, 326  
*Gallus gallus*, 126-127, 787-789  
*Garrulus glandarius*, 665-679, 680  
*G. lanceolatus*, 665-679, 680  
 Gaston, A. J., B. L. Collins, and A. W. Diamond, The "snapshot" count for estimating densities of flying seabirds during boat transects: a cautionary comment, 336-338  
 Gauthier, Gilles, Further evidence of long-term pair bonds in ducks of the genus *Bucephala*, 521-522  
 Geissler, Paul H., see Robbins, Chandler S., et al.  
 Genetic variation in (see Genetics, genetic variation)  
 Genetics, 156-157, 324-328, 380-389, 392, 599-600, 654-659, 724-731, 767-769; calculating repeatability in, 116-121; gene flow, 654-659; genetic variation, 1-10, 444, 446-447, 654-659, 724-731, 767-769  
 Genetics of *Anas platyrhynchos*, 599-600; Ardeidae, 97-107; *Colaptes auratus*, 654-659, 661-664; Emberizidae, 380, 381, 382, 386, 389; Estrilidae, 380-389, 392; Fringillidae, 380, 381, 382, 386, 389; *Junco hyemalis*, 1-10; *Larus californicus*, 767-769; Piciformes, 324-328, 724-731; Ploceidae, 380, 381, 382, 386, 389; *Vermivora chrysoptera*, 444-447, 448-449; *V. pinus*, 444-447, 448-449; *Zonotrichia leucophrys*, 1-10; *Z. querula*, 1-10  
 Geographic variation in body size, 681-686; diet, 170-171; mating systems, 401; molts and plumages, 421, 423, 424; size, 421-425; vocalizations, 64-70  
 Geographic variation in *Chlorostilbon ricordii*, 300; *Cistothorus palustris*, 63-70; *Junco hyemalis*, 303-309; *Larus californicus*, 421-426; *L. philadelphia*, 170-171; *Parabuteo unicinctus*, 401; *Passer domesticus*, 681-686  
*Geothlypis trichas*, 777-778  
 Giant-Petrel, Antarctic, 256; Hall's, 256  
 Gibbs, James P., Susan Woodward, Malcolm L. Hunter, and Alan E. Hutchinson, Determinants of Great Blue Heron colony distribution in coastal Maine, 38-47  
 Gibson, R. M., and J. W. Bradbury, Lek organization in Sage Grouse: variations on a territorial theme, 77-84  
 Gill, Frank B., Allozymes and genetic similarity of Blue-winged and Golden-winged warblers, 444-449  
 Giraldeau, Luc-Alain, and Ron Ydenberg, The center-edge effect: the result of a war of attrition between territorial contestants?, 535-538  
 Glutz von Blotzheim, Urs N. (Ed.), Handbuch der Vögel mitteleuropas. Vol. 10, Passeriformes, parts I and II (rev.), 153  
 Gochfeld, Michael, Commentary: On paradigms vs. methods in the study of growth, 554-555  
 Godfrey, W. Earl, The birds of Canada (rev.), 800-801  
 Goldeneye, Barrow's, 330-332  
 Goldfinch, European, 770  
 Goldsmith, Arthur R., see Hiatt, Eve S., et al.  
 Gollop, J. B., T. W. Barry, and E. H. Iverson, Eskimo Curlew: a vanishing species? (rev.), 580-581  
 Gooders, John, and Trevor Boyer, Ducks of North America and the Northern Hemisphere (rev.), 581-582  
 Goodwin, Derek, Crows of the world (rev.), 366  
 Goose, Bar-headed, 688-692; Canada, 73-75; Emperor, 707-715; Snow, 119  
 Grackle, Great-tailed, 635-639  
 Grady, Frederick V., see Olson, Storrs L., et al.  
 Grasshopper-Warbler, Middendorff's, 549-550, 550-551  
 Graves, Gary R., and Storrs L. Olson, *Chlorostilbon braeeri* Lawrence, an extinct species of hummingbird from New Providence Island, Bahamas, 296-302  
 Grayson, Andrew Jackson, Birds of the Pacific slope (rev.), 803-805  
 Greenwood, Paul J., see Swingland, Ian R., and ———  
 Grinnell, Joseph, and Alden H. Miller, The distribution of the birds of California (rev.), 365  
 Grouse, Blue, 344-346; Sage, 77-83  
 Growth and development of *Aphelocoma coerulescens*, 669-670; *Branta canadensis*, 74-75; *Fulica americana*, 640-645; *Larus occidentalis*, 35; *Poephila guttata*, 155-165; *Quiscalus mexicanus*, 635-639  
 Grudzien, Thaddeus A., William S. Moore, J. Richard Cook, and Danilo Tagle, Genic population structure and gene flow in the Northern Flicker (*Colaptes auratus*) hybrid zone, 654-664  
 Guderley, Helga, see Davis, M. Benjamin, and ———  
 Gull, Bonaparte's, 167-171; California, 421-426, 428, 767-769; Glaucous, 123-125, 713; Herring, 123-125, 526-527; Western, 33-36  
*Gymnorhinus cyanocephalus*, 677  
 Habitat of *Agelaius phoeniceus*, 311-314, 406, 628-633; *Ajaia ajaja*, 740-748; *Ardea herodias*, 40, 41, 47, 740-748; *Casmerodius albus*, 740-748; *Catherpes mexicanus*, 529; *Circus cyaneus*, 11-15; *Cistothorus palustris*, 491-492, 494; *Dendroica kirtlandii*, 234-241; *Egretta caerulea*, 740-748; *E. rufescens*, 740-748; *E. thula*, 740-748; *E. tricolor*, 740-748; *Epimachus albertsi*, 49; *Eudocimus albus*, 740-748; *Hylorchilus sumichrasti*, 528, 529; *Oceanites oceanites*, 129-132; *Oceanodroma castro*, 129-132; *O. leucorhoa*, 129-132; *Parabuteo unicinctus*, 394; *Passerculus sandwichensis*, 278; *Phaethon lepturus*, 129-132; *Picoides albolarvatus*, 225-226; *P. villosus*, 225-226; *Pterodroma hasitata*, 129-132; *Puffinus lherminieri*, 129-132; *Rupicola rupicola*, 496-498, 503; *Seiurus motacilla*, 180-181, 184-185; *S. noveboracensis*, 180-181, 184-185; *Sialia mexicana*, 783-784; *Sitta pygmaea*, 783-784; *Stellula calliope*, 244-246, 247, 249-250; *Stercorarius pomarinus*, 129-132; *Sterna fuscata*, 129-132; *Tachycineta thalassina*, 783-784; *Tetrao urogallus*, 482, 487; *Wilsonia citrina*, 133-135; *Zonotrichia leucophrys*, 209

- Hails, Christopher, and Frank Jarvis, Birds of Singapore (rev.), 807-808
- Hall, George A., review by, 577-578
- Hamerstrom, Frances, review by, 582
- Handford, Paul, In memoriam: Claes Christian Olrog, 319
- Haney, J. Christopher, Ocean internal waves as sources of small-scale patchiness in seabird distribution on the Blake Plateau, 129-133
- Hannon, Susan J., and Fred C. Zwickel, Commentary: Spacing behavior and population regulation in female Blue Grouse, 344-345
- Hansen, Paul W., Acid rain and waterfowl: the case for concern in North America (rev.), 809
- Hardy, John William, In memoriam: George J. Wallace, 316-317; and Dale J. Delaney, The vocalizations of the Slender-billed Wren (*Hylorchilus sumichrasti*): who are its closest relatives?, 528-530
- Harper, P. C., J. P. Croxall, and J. Cooper (Compilers), A guide to foraging methods used by marine birds in antarctic and subantarctic seas (rev.), 589
- Harpia harpyja*, 500
- Harrier, Northern, 11-15
- Hatch, Scott A., Copulation and mate guarding in the Northern Fulmar, 450-461
- Hatching, timing of, 86, 111-112, 209
- Hawk, Bicolored, 500; Black-faced, 499; Cooper's, 60; Galápagos, 519-520; Harris', 85-94, 393-402; White, 500
- Hawk-Eagle, Black, 500; Black-and-white, 500; Ornate, 500-501, 502
- Hayes, Jack P., see Probst, John R., and —
- Hayworth, Anita M., see Buttemer, William A., et al.
- Hegner, Robert E., and John C. Wingfield, Effects of experimental manipulation of testosterone levels on parental investment and breeding success in male House Sparrows, 462-469; and John C. Wingfield, Effects of brood-size manipulations on parental investment, breeding success, and reproductive endocrinology of House Sparrows, 470-480
- Heintzelman, Donald S., Guide to owl watching in North America (rev.), 582; The migration of hawks (rev.), 799-800
- Hepp, Gary R., Donna J. Stangoehr, Leslie A. Baker, and Robert A. Kennamer, Factors affecting variation in the egg and duckling components of Wood Ducks, 435-443
- Herman, Steven G., The naturalist's field journal (rev.), 796-797
- Heron, Black-headed, 97-107; Boat-billed, 97-107; Cocoi, 97-107; Great-billed, 97-107; Great Blue, 38-45, 97-107, 740-748; Green-backed, 97-107; Indian Pond, 97-107; Little Blue, 97-107, 740-748; Tricolored, 97-107, 740-748; Whistling, 97-107; White-faced, 97-107; White-necked, 97-107
- Hesperornis*, 125-128
- Hiatt, Eve S., Arthur R. Goldsmith, and Donald S. Farner, Plasma levels of prolactin and gonadotropins during the reproductive cycle of White-crowned Sparrows (*Zonotrichia leucophrys*), 208-217
- Hill, Brad G., review by, 153
- Histology of *Anas platyrhynchos*, 126-127; *Apteryx australis*, 126-127; *Bonasa umbellus*, 126-127; *Casuarus casuaris*, 126-127; *Crax rubra*, 126-127; *Cygnus olor*, 126-127; *Eobucco*, 126-127; *Eudromia elegans*, 126-127; *Gallus gallus*, 126-127; *Hesperornis*, 125-128; *Lithornis*, 126-127; *Paracathartes howardae*, 126-127; *Plegadis falcinellus*, 126-127; *Rhea americana*, 126-127; *Rhynchotus rufescens*, 126-127; *Thambetochen*, 126-127
- Hogstad, Olav, It is expensive to be dominant, 333-336
- Home range (see Territory of)
- Houde, Peter, Critical evaluation of DNA hybridization studies in avian systematics, 17-32; Histological evidence for the systematic position of *Hesperornis* (Odontornithes: *Hesperornithiformes*), 125-129; Commentary: Response to A. H. Bledsoe and J. E. Ahlquist et al., 566-568
- Houlihan, Patrick F., The birds of ancient Egypt (rev.), 589-590
- Howell, Thomas R., review by, 803-805
- Hudec, Karel (Ed.), Fauna CRRS: Ptaci, vol. 3(1-2) (rev.), 364
- Hudon, Jocelyn, review by, 152-153
- Hummingbird, Calliope, 242-252
- Humphries, C. J., and L. R. Parenti, Cladistic biogeography (rev.), 570-571
- Hunt, George L., Jr., see Sayce, James R., and —
- Hunter, Malcolm L., see Gibbs, James P., et al.
- Huntley, B., and H. J. B. Birks, An atlas of past and present pollen maps for Europe: 0-13,000 years ago (rev.), 794-795
- Hutchinson, Alan E., see Gibbs, James P., et al.
- Hutto, Richard L., review by, 578-579
- Hybrids and hybridization of *Colaptes auratus auratus* × *C. a. cafer*, 654-659, 661-664; *Larus argentatus* × *L. hyperboreus*, 123-125; *Vermivora chrysoptera* × *V. pinus*, 444, 446
- Hylorchilus sumichrasti*, 528-530
- Ibis, Glossy, 97-107; White, 740-748, 771-774
- Idaho, 421-426
- Ilichev, V. D., and V. E. Flint (Eds.), Handbuch der Vögel der Sowjetunion. [Vol. 1, History of exploration. Gaviiformes, Podicipediformes, Procellariiformes] (rev.), 571-573
- Illinois, 63-70
- Incubation and incubation period of *Chen canagica*, 707-715; *Parabuteo unicinctus*, 398, 401-402; *Paserculus sandwichensis*, 277, 280, 285, 287; *Stellula calliope*, 243; *Uria aalge*, 218, 219, 221; *Zonotrichia leucophrys*, 208, 211-214
- Indiana, 1-10, 56-61, 303-309, 413-418
- Indicator minor*, 326



- Inskipp, Carol, and Tim Inskipp, A guide to the birds of Nepal (rev.), 148-149
- Inskipp, Tim, see Inskipp, Carol, and ———
- Iowa, 681-686, 687
- Islands, colonization, 41-43
- Italy, 523-525
- Iverson, E. H., see Gollop, J. B., et al.
- Ixobrychus cinnamomeus*, 97-107
- I. exilis*, 97-107
- I. minutus*, 97-107
- Jackson, Christine E., Bird etchings: the illustrators and their books, 1655-1855 (rev.), 362-363
- Jackson, Michael H., Galapagos, a natural history guide (rev.), 357
- Jaeger, Parasitic, 713; Pomarine, 130-132
- James, Frances C., review by, 363
- James, Helen F., see Olson, Storrs L., et al.
- James, Paul C., Commentary: Ornithology in Central and South America, 348-349
- Jarvis, Frank, see Hails, Christopher, and ———
- Jay, Azure, 665-679, 680; Azure-hooded, 665-679, 680; Azure-naped, 665-679, 680; Blue, 665-679, 680; Curl-crested, 665-679, 680; Eurasian, 665-679, 680; Pinyon, 677; Purplish, 665-679, 680; Scrub, 665-679, 680; Violaceous, 665-679, 680
- Jehl, Joseph R., Jr., Geographic variation and evolution in the California Gull (*Larus californicus*), 421-428; Commentary: A historical explanation for polyandry in Wilson's Phalarope, 555-556; see Karl, Stephen A., et al.
- Johnsgard, Paul A., The pheasants of the world (rev.), 802-803
- Johnson, Ned K., review by, 796-797
- Johnston, Richard F., see McGillivray, M. Bruce, and ———
- Junco, Dark-eyed, 1-10, 303-309
- Junco hyemalis*, 1-10, 303-309
- Källander, Hans, see Smith, Henrik G., et al.
- Kansas, 654-659, 661-664, 681-686, 687
- Karl, Stephen A., Robert M. Zink, and Joseph R. Jehl, Jr., Allozyme analysis of the California Gull (*Larus californicus*), 767-769
- Kaufmann, Gerald W., review by, 152
- Keith, Stuart, review by, 580
- Kenner, Robert A., see Hepp, Gary R., et al.
- Kerlinger, Paul, review by, 799-800
- Kestrel, American, 321-323, Eurasian, 603-613, 615-616
- Ketterson, Ellen D., and Val Nolan, Jr., Suppression of autumnal migratory unrest in Dark-eyed Juncos held during summer on, near, or far from their previous wintering sites, 303-310
- King, Ben, reviews by, 148-149, 588
- King, Carolyn M., Immigrant killers: introduced predators and the conservation of birds in New Zealand (rev.), 357-358
- King, Warren B., review by, 364; and Stanley A. Temple, review by, 586-587
- Kingbird, Eastern, 546-547, 547-549
- Kirby, Ronald E., reviews by, 149-150, 581-582
- Kitchell, J. H., see Nitecki, M. H., and ———
- Kittiwake, Black-legged, 787-789
- Klaassen, Marcel, Guri Slagsvold, and Claus Bech, Metabolic rate and thermostability in relation to availability of yolk in hatchlings of Black-legged Kittiwake and domestic chicken, 787-789; see Masman, Dirkjan, and ———
- Kleptoparasitism, 431, 619
- Knapton, Richard W., Intraspecific avoidance and interspecific overlap of song series in the Eastern Meadowlark, 775-779
- Knight, Richard L., and Stanley A. Temple, Commentary: Response to R. M. Coleman, 792-793; see Yasukawa, Ken, et al.
- Koel, Dwarf, 50
- Koenig, Walter D., Morphological and dietary correlates of clutch size in North American woodpeckers, 757-765
- Komárek, Vladimír, Anatomia avium domesticarum (rev.), 588; Lubomír Malinovský, Leo Lemesz, and others, Anatomia avium domesticarum et embryologia galli (rev.), 588
- Krementz, David G., see Alisauskas, Ray T., et al.
- Kroodsma, Donald E., and Jared Verner, Use of song repertoires among Marsh Wren populations, 63-72
- Lack, Peter, The atlas of wintering birds in Britain and Ireland (rev.), 809-810
- Lagonosticta senegala*, 382-389, 392
- Lamprecht, Jürg, see Schindler, Martin, and ———
- Lanyon, Scott M., Commentary: Jackknifing and bootstrapping: important "new" techniques for ornithologists, 144-146; and Robert M. Zink, Genetic variation in piciform birds: monophyly and generic and familial relationships, 724-732
- Larsen, Bjørn Bjerke, see Wegge, Per, and ———
- Larus argentatus*, 123-125, 526-527
- L. californicus*, 421-426, 428, 767-769
- L. californicus albertaensis*, 422
- L. hyperboreus*, 123-125, 713
- L. occidentalis*, 33-36
- L. philadelphia*, 167-171
- Leblanc, Yves, Relationships between sex of gosling and position in the laying sequence, egg mass, hatchling size, and fledgling size, 73-76
- Lefor, Michael Wm., review by, 358-359
- Leikola, A., J. Lokki, and T. Stjernberg, [The artist brothers von Wright. The most beautiful bird paintings of Finland] (rev.), 795-796
- Lein, M. Ross, editor of book reviews, 147-154, 350-366, 570-590, 794-810
- Le Maho, Yvon, see Cherel, Yves, et al.
- Lemesz, Leo, see Komárek, Vladimír, et al.
- Leonard, Marty L., and Jaroslav Picman, Nesting mor-

- tality and habitat selection by Marsh Wrens, 491-495
- Leptotila rufaxilla*, 499
- Lessells, C. M., and Peter T. Boag, Unrepeatable repeatabilities: a common mistake, 116-121
- Leucopternis albigollis*, 500
- L. melanops*, 499
- Levey, Douglas J., Sugar-tasting ability and fruit selection in tropical fruit-eating birds, 173-179
- Lightbody, Jill P., Commentary: Female choice in Middendorff's Grasshopper-Warbler?, 549-550
- Ligon, J. David, review by, 801-802
- Linnet, Eurasian, 770
- Lithornis*, 126-127
- Locustella ochotensis*, 549-550, 550-551
- Lohrer, Fred E., Hugh A. Ford, and Innes C. Cuthill, editors of *Recent Ornithological Literature*, 1A-52A, 1B-40B; David A. Wiedenfeld, Hugh A. Ford, and Innes C. Cuthill, editors of *Recent Ornithological Literature*, 1C-43C, 1D-55D
- Lokki, J., see Leikola, A., et al.
- Lonchura bicolor*, 382-389, 392
- L. castaneothorax*, 382-389, 392
- L. flavipyrma*, 382-389, 392
- L. maja*, 382-389, 392
- L. malacca*, 382-389, 392
- L. pectoralis*, 382-389, 392
- Longevity (see Mortality and survival)
- Lophotrix cristata*, 499-500
- Löppenthin, Bernt, Johann Friedrich von Brandt: *Icones Avium Rossico-Americanarum, Tabulae VII, Ineditae*, with comments on birds, expeditions and people involved (rev.), 354-355
- Lovejoy, T. E., Jr., see Rappole, J. H., et al.
- Luther, Dieter, *Die ausgestorbene Vögel der Welt* (rev.), 587-588
- Lybys torquatus*, 326
- Lynch, James F., see Morton, Eugene S., et al.
- Macronectes giganteus*, 256
- M. halli*, 256
- Maggie, Yellow-billed, 665-679, 680
- Maine, 38-45
- Malacoptila semicincta*, 325, 326
- Malinovsky, Lubomír, see Komárek, Vladimír, et al.
- Mallard, 597-601
- Manacus candei*, 173-177
- Manakin, Red-capped, 173-177; White-collared, 173-177
- Manitoba, 597-601, 640-645, 694-698
- Martin, Gray-breasted, 342-343
- März, Robert, see Piehocki, Rudolf, and ———
- Masman, Dirkjan, and Marcel Klaassen, Energy expenditure during free flight in trained and free-living Eurasian Kestrels (*Falco tinnunculus*), 603-616
- Mass and measurements of *Aix sponsa*, 435, 438; *Apotenodytes patagonica*, 256-258, 259; *Aythya affinis*, 696, 697; *Branta canadensis*, 74-75; *Cathartes aura*, 293; *Chen canagica*, 712; *Chlorostilbon bracei*, 297, 299; *C. ricardii*, 297, 299; *Cistothorus palustris*, 492; *Coragyps atratus*, 293; *Eudocimus albus*, 773; *Falco tinnunculus*, 606, 607, 611; *Fulica americana*, 640-645, 780-782; *Gallus gallus*, 788; *Junco hyemalis*, 307; *Larus californicus*, 421-423, 424, 428; *L. occidentalis*, 34, 35; *Oceanodroma furcata*, 780-782; *O. leucorhoa*, 752-754; *Parabuteo unicinctus*, 394, 399; *Parus caeruleus*, 112, 113; *P. major*, 704; *P. montanus*, 334; *Passer domesticus*, 465, 466, 474-476; *Passerculus sandwichensis*, 280, 282-283, 286; *Pediohierax ramensis*, 271, 273; *Picidae*, 758, 759; *Picoides albolarvatus*, 230; *P. villosus*, 230; *Poephila guttata*, 158-161; *Polyborus plancus*, 293; *Quiscalus mexicanus*, 636-637; *Rissa tridactyla*, 788; *Sarcoramphus papa*, 293; *Spheniscus magellanicus*, 780-782; *Vultur gryphus*, 293
- Mathewson, Worth, William L. Finley, pioneer wildlife photographer (rev.), 590
- Mating systems of *Anas platyrhynchos*, 597-601; *Centrocercus urophasianus*, 77-83; *Cistothorus palustris*, 492-494; *Dendroica kirtlandii*, 234, 240; *Epimachus alberti*, 54-55; *Fulmarus glacialis*, 450-460; *Parabuteo unicinctus*, 393-402; *Phalaropus tricolor*, 555-556; *Stellula calliope*, 251-252; *Tetrao urogallus*, 481
- Mayr, Ernst, review by, 364-365
- McCallum, D. Archibald, review by, 576-577; see Brinbin, I. Lehr, Jr., et al.
- McDonald, John P., review by, 354-355
- McGillivray, W. Bruce, and Richard F. Johnston, Differences in sexual size dimorphism and body proportions between adult and subadult House Sparrows in North America, 681-687
- Meadowlark, Eastern, 775-778
- Meanley, Brooke, The marsh hen: a natural history of the Clapper Rail of the Atlantic coast salt marsh (rev.), 152
- Measurements (see Mass and ———)
- Mednis, A. A., see Mikhel'son, H. A., et al.
- Mehlhof, Patricia, see Morton, Eugene S., et al.
- Mehner, Alfred, and Wilhelm Hartfel (Eds.), *Handbuch der Geflügelphysiologie* (rev.), 352-354
- Melanerpes carolinus*, 325, 326
- M. cruentatus*, 325, 326
- M. erythrocephalus*, 326
- M. formicivorus*, 326
- Melospiza melodia*, 119, 777-778
- Memorial of William Walker Hamilton Gunn, 318-319; Samuel Charles Kendeigh, 508-509; Cyrus Mark, 318; Claes Christian Olrog, 319; Terence M. Shortt, 766; George J. Wallace, 316-317; Joel Carl Welty, 122
- Mengel, Robert M., review by, 362-363
- Metabolism of *Parus montanus*, 333-335; *Passerculus sandwichensis*, 277-287
- Mexico, 133-135, 342-343, 528-530
- Michigan, 234-241
- Micrastur gilvicolis*, 500
- M. mirandollei*, 500

- M. ruficollis*, 499  
*M. semitorquatus*, 500-501  
*Microcerculus marginatus*, 529-530  
*M. philomela*, 529-530  
*Microdynamis parva*, 50  
Migration and orientation, 135-138, 303-309; effects of latitude on, 303-309; olfactory cues, 369-378  
Migration and orientation of *Columba livia*, 369-378;  
*Erithacus rubecula*, 523-525; *Junco hyemalis*, 303-309; *Parus caeruleus*, 109-114; *Zonotrichia albicollis*, 136-138  
Mikhel'son, H. A., A. A. Mednis, and P. N. Blum, [Population ecology of migratory ducks in Latvia] (rev.), 575-576  
Miller, Alden H., see Grinnell, Joseph, and ———  
Millie H., Guillermo, see Araya M., Braulio, and ———  
*Mimus polyglottos*, 198-205  
Minnesota, 444-447, 448-449  
Missouri, 444-447, 448-449  
Mock, Douglas W., see Watt, Doris J., and ———  
Mockingbird, Floreana, 517-520; Galápagos, 517-520; Northern, 198-205; San Cristóbal, 517-520  
*Molothrus ater*, 512-515  
*M. bonariensis*, 514-515  
Molts and plumages of *Aythya affinis*, 694-698; *Chlorostilbon bracei*, 297, 298-299; *C. ricardii*, 299; *Junco hyemalis*, 307; *Larus californicus*, 421, 423, 424; *Tachycineta bicolor*, 717-722; *Vermivora chrysoptera*, 444-447; *V. pinus*, 444-447; *Zonotrichia leucophrys*, 188-189  
*Momotus momota*, 326  
*Monasa atra*, 499  
*M. nigrifrons*, 325, 326  
Montana, 421-426, 654-659, 661-664  
Montevicchi, W. A., see Cairns, D. K., et al.  
Moore, William S., see Grudzien, Thaddeus A., et al.  
Morgan, B. J. T., and P. M. North (Eds.), Statistics in ornithology (rev.), 147-148  
*Morphnus guianensis*, 500  
Morrison, Michael L., and Kimberly A. With, Inter-seasonal and intersexual resource partitioning in Hairy and White-headed woodpeckers, 225-233  
Mortality and survival of *Agelaius phoeniceus*, 56-61; *Anser indicus*, 688-692; *Aptenodytes patagonica*, 254, 256, 259, 260; *Catharacta maccormicki*, 623-624; *Cistothorus palustris*, 491-494; *Dendroica kirtlandii*, 236; *Fulica americana*, 643-644, 645; *Larus occidentalis*, 35-36; *Parus caeruleus*, 110; *P. major*, 701; *Passer domesticus*, 465-466, 474-476; *Poephila guttata*, 157; *Rupicola rupicola*, 503-504  
Morton, Eugene S., Do male Hooded Warblers exclude females from nonbreeding territories in tropical forest?, 133-135; see Rappole, J. H., et al.  
Murphy, Michael T., Commentary: Response to Alisauskas, Ankney, and Kremetz, 547-549  
Murphy, William L., A birder's guide to Trinidad and Tobago (rev.), 807-808  
Murre, Common, 218-222, 733-738  
Nagata, Hisashi, Commentary: Response to J. P. Lightbody, 550-551  
Nebraska, 270-275, 654-659, 661-664  
*Neochmia phaeton*, 382-389, 392  
*N. ruficauda*, 382-389, 392  
*Nesomimus macdonaldi*, 517-520  
*N. melanotis*, 517-520  
*N. parvulus*, 517-520  
*N. trifasciatus*, 517-520  
Nest and nest site of *Ardea herodias*, 38-45, 47; *Auriparus flaviceps*, 531-534; *Catharacta lonnbergi*, 620; *C. maccormicki*, 620; *Cistothorus palustris*, 491-494; *Coragyps atratus*, 649; *Larus californicus*, 423, 424-425; *Stellula calliope*, 243, 251  
Nestling of *Aphelocoma coerulescens*, 669-670; *Branta canadensis*, 73-75; *Gallus gallus*, 787-789; *Larus occidentalis*, 33-36; *Parabuteo unicinctus*, 396, 398-400; *Parus caeruleus*, 112, 113; *P. major*, 701-702, 703; *Passer domesticus*, 465-466, 474-475; *Passerculus sandwichensis*, 281; *Poephila guttata*, 155-158, 160-164; *Quiscalus mexicanus*, 635-639; *Rissa tridactyla*, 787-789  
Nettleship, David N., and Tim R. Birkhead (Eds.), The Atlantic Alcidae. The evolution, distribution and biology of the auks inhabiting the Atlantic Ocean and adjacent water areas (rev.), 582-585  
Nevada, 421-426  
New Brunswick, 167-171, 277-287, 750-755  
Newfoundland, 218-222, 733-738  
Newman, Kenneth, Birds of South Africa 1: Kruger National Park (rev.), 365-366  
New Mexico, 85-94, 393-402, 654-659, 661-664, 681-686, 687  
Newton, Ian, The Sparrowhawk (rev.), 574-575  
New York, 63-70, 369-378, 462-468, 470-479, 681-686, 687  
Nichols, Cathleen R., see Eadie, John McA., et al.  
Night-Heron, Black-crowned, 97-107; Nankeen, 97-107; Yellow-crowned, 97-107  
Nilsson, Jan-Åke, see Smith, Henrik G., and ———; see Smith, Henrik G., et al.  
Nitecki, M. H., and J. H. Kitchell (Eds.), Evolution of animal behavior (rev.), 808-809  
Noddy, Brown, 790  
Nolan, Val, Jr., see Ketterson, Ellen D., and ———  
Nomenclature, avian, 538-542  
*Nonnula ruficapilla*, 326  
North Carolina, 63-70, 647-652  
North Dakota, 421-426, 681-686, 687  
North, P. M., see Morgan, B. J. T., and ———  
Northwest Territories, 123-125, 421-426  
Norway, 333-335, 481-488, 787-789  
*Nucifraga columbiana*, 677  
Nutmacker, Clark's, 677  
Nuthatch, Pygmy, 783-786; White-breasted, 429-433  
*Nycticorax caledonicus*, 97-107  
*N. nycticorax*, 97-107  
*N. violaceus*, 97-107  
*Nystalus striolatus*, 326

- Oceanites oceanites*, 130-132  
*Oceanodroma castro*, 130-132  
*O. furcata*, 779-783  
*O. leucorhoa*, 130-132, 750-755  
 Ohio, 429-433  
 Oklahoma, 1-10  
 Olfaction of *Cathartes aura*, 373; *Columba livia*, 369-378  
 Olson, Storrs L., On the extent and source of instability in avian nomenclature, as exemplified by North American birds, 538-542; J. Phillip Angle, Frederick V. Grady, and Helen F. James, A technique for salvaging anatomical material from study skins of rare or extinct birds, 510-512; see Graves, Gary R., and ———  
 Ontario, 329-330, 526-527, 717-722, 775-778  
 Oregon, 421-426  
 Orians, Gordon H., Blackbirds of the Americas (rev.), 361-362  
 Orientation (see Migration and ———)  
*Ortalis motmot*, 499  
 Ortega, Joseph C., and Marc Bekoff, Avian play: comparative evolutionary and developmental trends, 338-341  
 Osborne, G. Kasha, see Osborne, Timothy O., and ———  
 Osborne, Timothy O., and G. Kasha Osborne, First specimen of Stonechat (*Saxicola torquata*) for North America, 542-543  
 Osteology of *Aphelocoma coerulescens*, 665-679; *Chlorostilbon bracei*, 300; *C. ricordii*, 300; Corvidae, 665-679; *Cyanocitta cristata*, 665-679; *Cyanocorax dick-eyi*, 665-679; *C. violaceus*, 665-679; *Cyanolyca cucullata*, 665-679; *C. viridicyana*, 665-679; *Garrulus glandarius*, 665-679; *G. lanceolatus*, 665-679; *Pediohierax ramenta*, 270-275; *Philodice evelynae*, 300; *Pica nuttalli*, 665-679  
 Owl, Crested, 499-500; Short-eared, 520; Spectacled, 499-500  
*Padda oryzivora*, 382-389  
 Paleontology (see Fossils)  
 Papua New Guinea, 48-55  
*Parabuteo unicinctus*, 85-94, 393-402  
*Paracathartes howardae*, 126-127  
*Paradisaea raggiana*, 52  
 Parenti, L. R., see Humphries, C. J., and ———  
 Parkes, Kenneth C., review by, 355-356  
*Parus caeruleus*, 109-114  
*P. major*, 700-705  
*P. montanus*, 333-335  
*Passer domesticus*, 386, 387, 389, 392, 462-468, 470-479, 681-686, 687  
*P. montanus*, 386, 387, 389, 392  
*Passerculus sandwichensis*, 277-287, 777-778  
 Paton, D. C., see Ford, Hugh A., and ———  
*Pediohierax ramenta*, 270-275  
 Penguin, Adélie, 618-619, 620, 624-625; King, 254-261; Magellanic, 779-783  
 Pennsylvania, 198-205, 444-447, 448-449  
 Peru, 290-295  
 Petrel, Black-capped, 130-132  
*Phaethon lepturus*, 130-132  
 Phalarope, Wilson's, 555-556  
*Phalaropus tricolor*, 555-556  
*Phasianus colchicus*, 733-738  
 Pheasant, Ring-necked, 733-738  
 Phillips, John C., A natural history of the ducks (rev.), 365  
 Phillips, Karen, see Viney, Clive, and ———  
*Philodice evelynae*, 300, 301  
*Phoeniculus purpureus*, 326  
 Physiology, diving, 733-738; egg laying, 208, 209, 213-214, 330-332, 435, 441, 714-715; energy cost of activities, 277-287, 333-335, 532-534, 603-613, 615-616, 773-774; flight, 603-613, 733-738; growth, 35, 256-258, 281, 398-400, 552-554, 554-555; hematocrit, 254, 255, 257, 258, 259; hormones, 208-215, 462-468, 470-473, 477-478; incubation, 208, 211-214, 277, 280-281, 285, 711, 714-715; metabolism, 258, 259, 260, 277-287, 333-335, 531-534, 733-738, 754, 787-789; migration, 303, 306-307; molt, 694-698; nutrient reserves, 435-436, 441, 534, 694-698; temperature regulation, 531-534, 787-789  
 Physiology of *Aix sponsa*, 435-436, 441; *Aptenodytes patagonica*, 254-261; *Auriparus flaviceps*, 531-534; *Aythya affinis*, 694-698; *Columba livia*, 733-738; *Falco tinnunculus*, 603-613; *Fratercula arctica*, 733-738; *Gallus gallus*, 787-789; *Junco hyemalis*, 306-307; *Larus occidentalis*, 35; *Oceanodroma leucorhoa*, 754; *Parabuteo unicinctus*, 398-400; *Parus montanus*, 333-335; *Passer domesticus*, 462-468, 470-473, 477-478; *Passerculus sandwichensis*, 277-287; *Phasianus colchicus*, 733-738; *Rissa tridactyla*, 787-789; *Stellula calliope*, 248; *Uria aalge*, 733-738; *Zonotrichia leucophrys*, 208-215  
*Pica nuttalli*, 665-679, 680  
 Picidae, 757-764  
 Piciformes, 324-328, 724-731  
 Picman, Jaroslav, Territory establishment, size, and tenacity by male Red-winged Blackbirds, 405-412; see Leonard, Marty L., and ———  
*Picoides albolarvatus*, 225-232, 233  
*P. pubescens*, 325, 326  
*P. scalaris*, 326  
*P. villosus*, 225-232, 233, 326  
*Piculus rivolii*, 325, 326  
 Piehocki, Rudolf, and Robert März, Der Uhu (The Owl) (rev.), 153  
 Pietz, Pamela J., Feeding and nesting ecology of sympatric South Polar and Brown skuas, 617-627  
 Pigmentation of *Larus argentatus*, 123, 124; *L. hyperboreus*, 124  
*Pipra mentalis*, 173-177  
*Plegadis falcinellus*, 97-107, 126-127  
 Ploceidae, 380, 381, 382, 386, 389  
 Plumages (see Molts and ———)  
*Poephila acuticauda*, 382-389, 392

- P. bichenovii*, 382-389, 392  
*P. cincta*, 382-389, 392  
*P. guttata*, 155-165, 382-389, 392  
*P. personata*, 382-389, 392  
 Polyandry (see Mating systems)  
*Polyborus plancus*, 290-295  
 Polygyny (see Mating systems)  
 Powell, George V. N., Habitat use by wading birds in a subtropical estuary: implications of hydrography, 740-749  
 Predation by *Accipiter bicolor*, 500; *A. cooperii*, 60; *Buteo gallus urubitinga*, 500; *Catharacta lonnbergi*, 618-620; *C. macormicki*, 619-620; *Cistothorus palustris*, 492, 493; *Larus hyperboreus*, 713; *Leucopternis albigollis*, 500; *Macronectes giganteus*, 256; *M. halli*, 256; *Micrastur mirandollei*, 500; *M. semitorquatus*, 500-501; *Morphnus guianensis*, 500; *Nesomimus macdonaldi*, 517-520; *N. melanotis*, 517-520; *N. parvulus*, 517-520; *N. trifasciatus*, 517-520; *Spizaetus ornatus*, 500-501, 502; *Stercorarius parasiticus*, 713  
 Predation on *Agelaius phoeniceus*, 60; *Aptenodytes patagonica*, 256; *Chen canagica*, 713-714; *Cistothorus palustris*, 491-494; *Larus dominicanus*, 619; *Oceanites oceanicus*, 619; *Pygoscelis adeliae*, 618-619, 620, 624-625; *Rupicola rupicola*, 496-505; *Sterna vittata*, 619; *Sula dactylatra*, 517-519  
 Probst, John R., and Jack P. Hayes, Pairing success of Kirtland's Warblers in marginal vs. suitable habitat, 234-241  
*Progne chalybea*, 342-343  
*Pterodroma hasitata*, 130-132  
*Pteroglossus castanotis*, 325, 326  
 Puffin, Atlantic, 733-738  
*Puffinus lherminieri*, 130-132  
 Pulich, Warren M., review by, 798  
*Pulsatrix perspicillata*, 499-500  
*Pygoscelis adeliae*, 618-619, 620, 624-625  
*Pytilia melba*, 382-389, 392  
*P. phoenicoptera*, 382-389, 392  
 Quebec, 311-314, 329-330, 681-686, 687  
*Querula purpurata*, 499  
*Quiscalus mexicanus*, 635-639  
 Rabenold, Patricia Parker, Roost attendance and aggression in Black Vultures, 647-653  
*Ramphastos culminatus*, 325, 326  
*R. toco*, 326  
*R. tucanus*, 499  
*Ramphocelus passerinii*, 173-177  
 Rappole, J. H., and Gene W. Blacklock, Birds of the Texas Coastal Bend—abundance and distribution (rev.), 798; E. S. Morton, T. E. Lovejoy, Jr., and J. L. Ruos, Nearctic avian migrants in the Neotropics (rev.), 578-579  
 Raveling, Dennis G., see Thompson, Steven C., and  
 Redpoll, Common, 770  
*Rhea americana*, 126-127  
*Rhynchotus rufescens*, 126-127  
 Rice, Jake C., review by, 147-148  
 Richardson, Howard, and Nicolaas A. M. Verbeek, Diet selection by yearling Northwestern Crows (*Corvus caurinus*) feeding on littleneck clams (*Venerupis japonica*), 263-269  
 Richardson, W. John, In memoriam: William Walker Hamilton Gunn, 318-319  
 Ricklefs, Robert E., Response of adult Leach's Storm-Petrels to increased food demand at the nest, 750-756  
 Rijke, Arie M., Commentary: The water repellancy of water-bird feathers, 140-142  
*Rissa tridactyla*, 787-789  
 Robbins, Chandler S., Danny Bystrak, and Paul H. Geissler, The Breeding Bird Survey: its first fifteen years, 1965-1979 (rev.), 577-578  
 Roberson, Don, Monterey birds (rev.), 150-151  
 Robertson, Raleigh J., see Stutchbury, Bridget J., and  
 Robin, European, 523-525  
 Rothstein, Stephen I., and Robert C. Fleischer, Brown-headed Cowbirds learn flight whistles after the juvenile period, 512-516; see Fugle, Gary N., and  
 Rudis, Deborah D., see DeGraaf, Richard M., and  
 Ruos, J. L., see Rappole, J. H., et al.  
*Rupicola rupicola*, 496-505  
 Ryder, John P., and Beatrice M. Termaat, Secondary sex ratios and egg sequence in Herring Gulls, 526-528  
 Sage, Brian, The Arctic and its wildlife (rev.), 588  
*Salpinctes obsoletus*, 529-530  
 Sandpiper, Upland, 777-778  
 Santee, William R., and George S. Bakken, Social displays in Red-winged Blackbirds (*Agelaius phoeniceus*): sensitivity to thermoregulatory costs, 413-420  
*Sarcoramphus papa*, 290-295  
 Saskatchewan, 421-426, 681-686, 687  
 Sasvári, Lajos, Madárökológia [Bird ecology] (rev.), 364  
 Savory, John (Ed.), George Lodge (rev.), 154  
*Saxicola torquata*, 542-543  
 Sayce, James E., and George L. Hunt, Jr., Sex ratios of pre fledging Western Gulls, 33-37  
 Scaup, Lesser, 694-698  
 Schindler, Martin, and Jürg Lamprecht, Increase of parental effort with brood size in a nidifugous bird, 688-693  
 Scott, Derek A., and Montserrat Carbonel (Compilers), A dictionary of neotropical wetlands (rev.), 358-359  
 Scott, J. Michael, and James W. Carpenter, Commentary: Release of captive-reared or translocated endangered birds: what do we need to know?, 544-545



- Sealy, Spencer G., review by, 582-585
- Seiurus motacilla*, 180-186
- S. noveboracensis*, 180-186
- Serinus canaria*, 770-771
- Seutin, Gilles, Female song in Willow Flycatchers (*Empidonax traillii*), 329-330
- Sex, determination of, 779-783
- Sex ratio of *Branta canadensis*, 74; *Fulica americana*, 641, 643; *Fulmarus glacialis*, 457; *Larus argentatus*, 526-527; *L. occidentalis*, 33-36; *Quiscalus mexicanus*, 635-639; *Parabuteo unicinctus*, 396; *Parus caeruleus*, 111
- Shearwater, Audubon's, 130-132
- Sheldon, Frederick H., Phylogeny of herons estimated from DNA-DNA hybridization data, 97-108; see Ahlquist, Jon E., et al.
- Sialia mexicana*, 783-786
- Sibley, Charles G., See Ahlquist, Jon E., et al.
- Sicklebill, Buff-tailed, 48-55
- Siegel-Causey, Douglas, review by, 575-576
- Simmons, K. E. L., The sunning behavior of birds. A guide for ornithologists (rev.), 808
- Siskin, Eurasian, 770
- Sitta carolinensis*, 429-433
- S. pygmaea*, 783-786
- Skagen, Susan Knight, see Yasukawa, Ken, et al.
- Skua, Brown, 617-625; South Polar, 617-625
- Slagsvold, Guri, see Klaassen, Marcel, et al.
- Smith, Henrik G., Hans Källander, and Jan-Åke Nilsson, Effect of experimentally altered brood size on frequency and timing of second clutches in the Great Tit, 700-706; and Jan-Åke Nilsson, Intraspecific variation in migratory pattern of a partial migrant, the Blue Tit (*Parus caeruleus*): an evaluation of different hypotheses, 109-115
- Smythies, B. E., The birds of Burma (rev.), 806
- Song (see Vocalizations)
- Soulé, M. E., Conservation biology. The science of scarcity and diversity (rev.), 801-802
- South Carolina, 11-15, 435, 442, 771-774
- South Dakota, 654-659, 661-664, 681-686, 687
- Southern, William E., review by, 359-361
- Sparrow, Field, 777-778; Harris', 1-10; House, 462-468, 470-479, 681-686, 687; Savannah, 277-287, 777-778; Song, 119, 777-778; White-crowned, 1-10, 188-196; White-throated, 136-138
- Sparrowhawk, Eurasian, 117, 118, 120
- Spear, Larry B., Hybridization of Glaucous and Herring gulls at the Mackenzie Delta, Canada, 123-125
- Spectrograms of *Catherpes mexicanus*, 528, 529; *Epi-machus albertisi*, 52; *Hylorchilus sumichrasti*, 528, 529; *Microcerclus philomela*, 530; *Mimus polyglottos*, 200; *Molothrus ater*, 513, 514; *M. bonariensis*, 514; *Rupicola rupicola*, 498; *Salpinctes obsoletus*, 529
- Sperm storage, 770-771
- Spheniscus magellanicus*, 779-783
- Sphyrapius varius*, 326
- Spizaetus ornatus*, 500-501, 502
- S. tyrannus*, 500
- Spizastur melanoleucus*, 500
- Spizella pusilla*, 777-778
- Spoonbill, Roseate, 740-748
- Stahl, Jean-Claude, see Cherel, Yves, et al.
- Stangohr, Donna J., see Hepp, Gary R., et al.
- Statistical techniques, 144-145
- Stellula calliope*, 242-252
- Stercorarius parasiticus*, 713
- S. pomarinus*, 130-132
- Sterna fuscata*, 130-132
- Stjernberg, T., see Leikola, A., et al.
- Stokes, Allen W., review by, 802-803
- Stonechat, 542-543
- Storm-Petrel, Band-rumped, 130-132; Fork-tailed, 779-783; Leach's, 130-132, 750-755; Wilson's, 130-132
- Strauch, J. G., Jr., review by, 580-581
- Stuart, S. N., see Collar, N. J., and ———
- Sturkie, P. D. (Ed.), Avian physiology (rev.), 352-354
- Sturnella magna*, 775-778
- Stutchbury, Bridget J., and Raleigh J. Robertson, Signaling subordinate and female status: two hypotheses for the adaptive significance of subadult plumage in female Tree Swallows, 717-723
- Sula dactylatra*, 517-519
- Suriname, 496-505
- Swallow, Tree, 717-722; Violet-green, 783-786
- Sweden, 109-114, 700-705
- Swingland, Ian R., and Paul J. Greenwood (Eds.), The ecology of animal movement (rev.), 576-577
- Syrigma sibilatrix*, 97-107
- Tachycineta bicolor*, 717-722
- T. thalassina*, 783-786
- Tachyphonus delatrii*, 173-177
- Tagle, Danilo, see Grudzien, Thaddeus A., et al.
- Tanager, Palm, 173-177; Scarlet-rumped, 173-177; Tawny-crested, 173-177
- Tate, Peter, Birds, men and books: a literary history of ornithology (rev.), 355-356
- Taxonomy of Ardeidae, 97-107; *Chlorostilbon bracei*, 296-301; Corvidae, 676-677; *Emberizidae*, 380, 389; *Estrildidae*, 380-389; *Falconidae*, 273-275; *Fringillidae*, 380, 389; *Gymnorhinus cyanocephalus*, 677; *Hesperornis*, 125-128; *Hylorchilus sumichrasti*, 529-530; *Nucifraga columbiana*, 677; *Pediohierax ramenta*, 270, 273-275; *Piciformes*, 324-328, 724-731; *Ploceidae*, 380, 389
- Teather, Kevin L., Intersexual differences in food consumption by hand-reared Great-tailed Grackle (*Quiscalus mexicanus*) nestlings, 635-639
- Temple, Stanley A., see King, Warren B., and ———; see Knight, Richard L., and ———; see Wallace, Michael P., and ———
- Termaat, Beatrice M., see Ryder, John P., and ———
- Tern, Sooty, 130-132
- Territory of *Agelaius phoeniceus*, 405-411; *Catharacta lonnbergi*, 620, 624; *C. maccormicki*, 620; *Centrocerus urophasianus*, 79; *Epimachus albertisi*, 50-51; *Rupicola rupicola*, 497; *Stellula calliope*, 242-247, 249-

- 251; *Tetrao urogallus*, 481-488; *Wilsonia citrina*, 133-135
- Tessier, G. D., see Blokpoel, H., and ———
- Tetrao urogallus*, 481-488
- Texas, 635-639, 654-659, 661-664, 681-686, 687
- Thambetochen*, 126-127
- Thompson, John N., review by, 798-799
- Thompson, Steven C., and Dennis G. Raveling, Incubation behavior of Emperor Geese compared with other geese: interactions of predation, body size, and energetics, 707-716
- Thraupis palmarum*, 173-177
- Tiaris canora*, 386, 389, 392
- Tiger-Heron, Rufescent, 97-107
- Tigrisoma lineatum*, 97-107
- Tit, Blue, 109-114; Great, 700-705; Willow, 333-335
- Tockus erythrorhynchus*, 326
- T. flavirostris*, 326
- Toucan, Red-billed, 499
- Trachyphonus vaillantii*, 326
- Trail, Pepper W., Predation and antipredator behavior at Guianan Cock-of-the-Rock leks, 496-507
- Traylor, Melvin A., Jr., In memoriam: Cyrus Mark, 318
- Tricholaema leucomelas*, 326
- Tropicbird, White-tailed, 130-132
- Tyrannus tyrannus*, 546-547, 547-549
- Tyto alba*, 520
- Udvardy, M. D. F., reviews by, 364, 571-574, 587-588; see Udvardy, Maud E., and ———
- Udvardy, Maud E., and Miklos D. F. Udvardy, review by, 795-796
- Upupa epops*, 326
- Uraeginthus bengalus*, 382-389, 392
- Uria aalge*, 218-222, 733-738
- Uria* spp., 337
- Urocolius indicus*, 326
- Utah, 421-426, 681-686, 687
- Venegas C., Claudio, Aves de Patagonia y Tierra del Fuego Chileno-Argentina (rev.), 573-574
- Veniliornis nigriceps*, 325, 326
- V. passerinus*, 326
- Verbeek, Nicolaas A. M., see Richardson, Howard, and ———
- Vardin, 531-534
- Vermivora chrysoptera*, 444-447, 448-449
- V. pinus*, 444-447, 448-449
- Verner, Jared, see Kroodsmas, Donald E., and ———
- Viney, Clive, and Karen Phillips, New colour guide to Hong Kong birds (rev.), 588
- Vocalizations, 329-330, 512-515, 775-778, 790; geographic variation in, 64-70; variety of, 63, 65-70, 198-205
- Vocalizations of *Anous stolidus*, 790; *Astrapia stephaniae*, 52; *Bartramia longicauda*, 778; *Catherpes mexicanus*, 528-530; *Cistothorus palustris*, 63-70; *Dendroica pe-techia*, 778; *Dolichonyx oryzivorus*, 778; *Empidonax traillii*, 329-330; *Epimachus albertisi*, 51-52; *Hylorchilus sumichrasti*, 528-530; *Microcerculus philomela*, 529; *Mimus polyglottos*, 198-205; *Molothrus ater*, 512-515; *Paradisaea raggiana*, 52; *Passerculus sandwichensis*, 778; *Rupicola rupicola*, 498; *Salpinctes obsoletus*, 529; *Sturnella magna*, 775-778; *Wilsonia citrina*, 134
- Vuilleumier, François, review by, 794-795
- Vultur gryphus*, 290-295
- Vulture, Black, 290-295, 499, 647-652; King, 290-295; Turkey, 290-295, 373
- Waite, Thomas A., Vigilance in the White-breasted Nuthatch: effects of dominance and sociality, 429-434
- Waldvogel, Jerry A., Olfactory navigation in homing pigeons: are the current models atmospherically realistic?, 369-379
- Wallace, Michael P., and Stanley A. Temple, Competitive interactions within and between species in a guild of avian scavengers, 290-295
- Warbler, Blue-winged, 444-447, 448-449; Golden-winged, 444-447, 448-449; Hooded, 133-135; Kirtland's, 234-241; Yellow, 777-778
- Washington, 63-70, 208-215, 344-345, 421-426, 779-783
- Waterthrush, Louisiana, 180-186; Northern, 180-186
- Watt, Doris J., and Douglas W. Mock, A selfish herd of martins, 342-343; see Zink, Robert M., and ———
- Weather, influence on (see Environment, influence on)
- Weatherhead, Patrick J., see Clark, Robert G., and ———
- Weathers, Wesley W., see Buttemer, William A., et al.
- Wegge, Per, and Bjørn Bjerke Larsen, Spacing of adult and subadult male Common Capercaillie during the breeding season, 481-490
- West Germany, 688-692
- White, Clayton M., review by, 574-575
- White, Gary C., see Brisbin, I. Lehr, Jr., et al.
- Wiedenfeld, David A., see Lohrer, Fred E., et al.
- Wiens, John A., review by, 585-586
- Williams, Christopher J., see Evarts, Susan, and ———
- Williams, Joseph B., Field metabolism and food consumption of Savannah Sparrows during the breeding season, 277-289
- Wilsonia citrina*, 133-135
- Wingfield, John C., see Hegner, Robert E., and ———
- Wisconsin, 628-633
- With, Kimberly A., see Morrison, Michael L., and ———
- Woodpecker, Downy, 325, 326; Hairy, 225-232, 233; White-headed, 225-232, 233
- Woodward, Susan, see Gibbs, James P., et al.
- Woolfenden, Glen E., and John W. Fitzpatrick, The

- Florida Scrub Jay: demography of a cooperative-breeding bird (rev.), 350-352
- Wren, Canyon, 528-530; Marsh, 63-70, 491-494; Nightingale, 529-530; Rock, 529-530; Scaly-breasted Nightingale, 529-530; Slender-billed, 528-530
- Wynne-Edwards, V. C., Evolution through group selection (rev.), 585-586
- Wyoming, 421-426, 654-659, 661-664
- Yasukawa, Ken, Breeding and nonbreeding season mortality of territorial male Red-winged Blackbirds (*Agelaius phoeniceus*), 56-62; In memoriam: Joel Carl Welty, 122; Richard L. Knight, and Susan Knight Skagen, Is courtship intensity a signal of male parental care in Red-winged Blackbirds (*Agelaius phoeniceus*)?, 628-634
- Ydenberg, Ron, see Giraldeau, Luc-Alain, and ———
- Yellowthroat, Common, 777-778
- Young, Kimberly, see Morton, Eugene S., et al.
- Yukon, 123-125
- Zink, Robert M., and Doris J. Watt, Allozymic correlates of dominance rank in sparrows, 1-10; see Karl, Stephen A., et al.; see Lanyon, Scott M., and ———
- Zonotrichia albicollis*, 136-138
- Z. leucophrys*, 1-10, 188-196, 208-215
- Z. querula*, 1-10
- Zusi, Richard L., A feeding adaptation of the jaw articulation in New World jays (Corvidae), 665-680
- Zwicker, Fred C., see Hannon, Susan J., and ———

